

XI'AN FUNCTION MATERIAL GROUP CO., LTD Material Safety Data Sheet Cerium Oxide

	1. Product and Company Identification
Trade Name:	Cerium oxide
Chemical Formula:	CeO ₂
Recommended Use:	Scientific research and development
Manufacturer/Supplier:	XI'AN FUNCTION MATERIAL GROUP CO., LTD
Street:	No. 69, Gazelle Valley, High-Tech Zone
City:	XI'AN
State:	Shaanxi
Zip Code:	710077
Country:	China
Tel #:	+86-29-88993870/+86-13519132051
	2. Hazards Identification
Signal Word:	Warning
Hazard Statements:	H302: Harmful if swallowed
Precautionary Statements:	P264: Wash thoroughly after handling P270: Do not eat, drink or smoke when using this product P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P301+P312: IF SWALLOWED: Call a POISON CENTER or
	doctor/physician if you feel unwell
	P501: Dispose of contents/container in accordance with
	local/regional/national/international regulations
HMIS Health Ratings (0-4):	local/regional/national/international regulations
Health:	local/regional/national/international regulations
Health: Flammability:	local/regional/national/international regulations 2 0
Health:	local/regional/national/international regulations
Health: Flammability:	local/regional/national/international regulations 2 0
Health: Flammability: Physical: Chemical Family:	local/regional/national/international regulations 2 0 1 3. Composition Ceramic
Health: Flammability: Physical:	local/regional/national/international regulations 2 0 1 3. Composition
Health: Flammability: Physical: Chemical Family: Additional Names: Cerium oxide (CeO ₂):	local/regional/national/international regulations 2 0 1 3. Composition Ceramic Ceramic Cerium(IV) oxide, Cerium dioxide
Health: Flammability: Physical: Chemical Family: Additional Names: Cerium oxide (CeO ₂): Percentage:	local/regional/national/international regulations 2 0 1 3. Composition Ceramic Ceramic Cerium(IV) oxide, Cerium dioxide 100 wt%
Health: Flammability: Physical: Chemical Family: Additional Names: Cerium oxide (CeO ₂):	local/regional/national/international regulations 2 0 1 3. Composition Ceramic Ceramic Cerium(IV) oxide, Cerium dioxide

	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Seek Medical Attention.
Skin:	Wash affected area with mild soap and water. Remove any
	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for
	surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
*	special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal
	Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
Storage Conditions.	
	materials and conditions listed in section 10.
	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before
	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
Work/Hygienic Maintenance:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Work/Hygienic Maintenance:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
Work/Hygienic Maintenance: Ventilation:	materials and conditions listed in section 10.Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.Provide sufficient ventilation to maintain concentration at or below
Work/Hygienic Maintenance: Ventilation: 8. E	materials and conditions listed in section 10.Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.Provide sufficient ventilation to maintain concentration at or below threshold limit.
Work/Hygienic Maintenance: Ventilation: 8. E Permissible Exposure Limits:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.
Work/Hygienic Maintenance: Ventilation: 8. E Permissible Exposure Limits: Threshold Limit Value:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.
Work/Hygienic Maintenance: Ventilation:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.
Work/Hygienic Maintenance: Ventilation: 8. E Permissible Exposure Limits: Threshold Limit Value: Special Equipment:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. xposure Controls and Personal Protection N/A N/A None Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed
Work/Hygienic Maintenance: Ventilation: 8. E Permissible Exposure Limits: Threshold Limit Value: Special Equipment:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. xposure Controls and Personal Protection N/A N/A None Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use
Work/Hygienic Maintenance: Ventilation: 8. E Permissible Exposure Limits: Threshold Limit Value: Special Equipment:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. xposure Controls and Personal Protection N/A N/A N/A None Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government
Work/Hygienic Maintenance: Ventilation: 8. E Permissible Exposure Limits: Threshold Limit Value: Special Equipment: Respiratory Protection:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. xposure Controls and Personal Protection N/A N/A N/A None Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Work/Hygienic Maintenance: Ventilation: 8. E Permissible Exposure Limits: Threshold Limit Value: Special Equipment: Respiratory Protection: Protective Gloves:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. xposure Controls and Personal Protection N/A N/A N/A N/A None Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Nitrile rubber, NBR 0.11mm thick.
Work/Hygienic Maintenance: Ventilation: 8. E Permissible Exposure Limits: Threshold Limit Value: Special Equipment: Respiratory Protection: Protective Gloves: Penetration time of glove material:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. xposure Controls and Personal Protection N/A N/A N/A N/A None Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Nitrile rubber, NBR 0.11mm thick. 480 minutes
Work/Hygienic Maintenance: Ventilation: 8. E Permissible Exposure Limits: Threshold Limit Value: Special Equipment: Respiratory Protection: Protective Gloves:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. xposure Controls and Personal Protection N/A N/A N/A N/A None Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Nitrile rubber, NBR 0.11mm thick.

9.1	Physical and Chemical Characteristics
Color	Pale yellow
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	2600 °C
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	7.132 g/cc
Molecular weight:	172.12 g/mol
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume
	11. Toxicological Information
Potential Health Effects:	
Eyes:	May cause irritation
Skin:	May cause irritation
Ingestion:	Harmful
Inhalation:	May cause irritation
Chronic:	Cerium salts increase the blood coagulation rate. Exposure to cerium
	salts may increase sensitivity to heat, itching and skin lesions. Large doses to experimental animals have caused writhing, ataxia, labored respiration, sedation, hypotension and death by cardiovascular collapse Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic Fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.
Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	1000 mg/kg for rat by mouth
Carcinogen:	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
	ACGIH: No component of this product present at levels greater than of equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
	NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA
	12. Ecological Information
Aquatic Toxicity:	Toxicity to fish: semi-static test EC50 - Danio rerio (zebra fish) - >200 mg/l - 72 h

	Toxicity to daphnia and other aquatic invertebrates: Immobilization EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 48 h (OECD Test Guideline 202) Toxicity to bacteria: EC50 - Sludge Treatment - > 1,000 mg/l - 3 h
Very Persistent, Very Bioaccumulative:	No
Notes:	N/A

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

Not hazardous for transportation.
N/A
N/A
N/A
N/A
15. Regulatory Information
No
N/A
No

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

10/23/2018