

XI'AN FUNCTION MATERIAL GROUP CO.,LTD Safety Data Sheet Indium (I) bromide

1. Product and Company Identification

Trade Name: Chemical Formula: Recommended Use:

Manufacturer/Supplier:

Street: City: State: Zip Code: Country: Tel #: Indium (I) bromide InBr Scientific research and development

XI'AN FUNCTION MATERIAL GROUP CO.,LTD No.69, Gazelle Valley, High-Tech Zone XI'AN Shannxi 710077 China +86-29-88993870/+86-13519132051

2. Hazards Identification		
Signal Word:	Danger	
Hazard Statements:	H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled	
	H314: Causes severe skin burns and eye damage	
	H335: May cause respiratory irritation	
Precautionary Statements:	P260: Do not breathe dust/fume/gas/mist/vapors/spray	
5	P264: Wash skin thoroughly after handling	
	P270: Do not eat, drink or smoke when using this product	
	P271: Use only outdoors or in a well-ventilated area	
	P280: Wear protective gloves/protective clothing/eye protection/face	
	protection P301+P312: IF SWALLOWED: Call a POISON CENTER or	
	doctor/physician if you feel unwell	
	P302+P352: IF ON SKIN: Wash with soap and water	
	P303+P361+P353: IF ON SKIN (or hair): Remove/Take off	
	immediately all contaminated clothing. Rinse skin with water/shower	
	P304+P340: IF INHALED: Remove victim to fresh air and keep at res	
	in a position comfortable for breathing	
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for	
	several minutes. Remove contact lenses if present and easy to do – continue rinsing	
	P312: Call a POISON CENTER or doctor/physician if you feel unwell	
	P330: Rinse mouth	
	P332+P313: If skin irritation occurs: Get medical advice/attention	
	P337+P313: If eye irritation persists get medical advice/attention	
	P362: Take off contaminated clothing and wash before reuse	
	P403+P233: Store in a well-ventilated place. Keep container tightly	
	closed P405: Store locked up	
	P501: Dispose of contents/container in accordance with	
	local/regional/national/international regulations	
HMIS Health Ratings (0-4):		
Health:	3	
Flammability:	0	
D1	0	
Physical:		
	3. Composition	
Chemical Family:	Ceramic	
	•	
Chemical Family: Additional Names: Indium (I) bromide (InBr):	Ceramic N/A	
Chemical Family: Additional Names:	Ceramic	

	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult. Keep patient warm. Seek immediate medical attention.
Ingestion:	Seek immediate medical attention.
Skin:	Immediately wash affected area with mild soap and water. Remove any
	contaminated clothing. Seek immediate medical attention.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
2,001	contact lenses if present and easy to do. Continue rinsing. Seek
	immediate medical attention.
	5. Firefighting Measures
	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for
6	surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for
	decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
	special protection information. Keep unprotected persons away. Isolate
	spill area and provide ventilation. Use neutralizing agent. Vacuum up
	spill using a high efficiency particulate absolute (HEPA) air filter and
	place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Handle under dry protective gas. Avoid contact with skin and eyes. Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
Storage Conditions:	Store in a cool dry blace in a tightly sealed container. Store abart from
Work/Hygianic Maintanance:	materials and conditions listed in section 10.
Work/Hygienic Maintenance:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before
Work/Hygienic Maintenance:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Work/Hygienic Maintenance: Ventilation:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
Ventilation:	materials and conditions listed in section 10.Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.Provide sufficient ventilation to maintain concentration at or below
Ventilation: 8. Ex	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.
Ventilation:	materials and conditions listed in section 10.Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.Provide sufficient ventilation to maintain concentration at or below threshold limit.
Ventilation: 8. Ex Permissible Exposure Limits:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. cposure Controls and Personal Protection 0.1 mg/m ³ as In, long-term value 0.1 mg/m ³ as In, long-term value Properly operating chemical fume hood designed for hazardous
Ventilation: 8. Ex Permissible Exposure Limits: Threshold Limit Value:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. cposure Controls and Personal Protection 0.1 mg/m ³ as In, long-term value 0.1 mg/m ³ as In, long-term value
Ventilation: 8. Ex Permissible Exposure Limits: Threshold Limit Value:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. cposure Controls and Personal Protection 0.1 mg/m ³ as In, long-term value 0.1 mg/m ³ as In, long-term value Properly operating chemical fume hood designed for hazardous
Ventilation: 8. Exposure Limits: Threshold Limit Value: Special Equipment:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. exposure Controls and Personal Protection 0.1 mg/m³ as In, long-term value 0.1 mg/m³ as In, long-term value Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per
Ventilation: 8. Exposure Limits: Threshold Limit Value: Special Equipment:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. exposure Controls and Personal Protection 0.1 mg/m³ as In, long-term value 0.1 mg/m³ as In, long-term value Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute
Ventilation: 8. Exposure Limits: Permissible Exposure Limits: Threshold Limit Value: Special Equipment: Respiratory Protection:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. xposure Controls and Personal Protection 0.1 mg/m³ as In, long-term value 0.1 mg/m³ as In, long-term value Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute Dust Respirator
Ventilation: 8. Exposure Limits: Permissible Exposure Limits: Threshold Limit Value: Special Equipment: Respiratory Protection: Protective Gloves:	 materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit. apposure Controls and Personal Protection 0.1 mg/m³ as In, long-term value O.1 mg/m³ as In, long-term value Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute Dust Respirator Rubber gloves

9. Physical and Chemical Characteristics		
Color	Red-brown	
Form:	Powder, Beads	
Odor:	Odorless	
Water Solubility:	Decomposes	
Boiling Point:	656°C	
Melting Point:	220°C	
Flash Point:	N/A	
Autoignition Temperature:	N/A	
Density:	4.96 g/cc	
Molecular weight:	194.72 g/mol	
	10. Reactivity	
Stability:	Stable under recommended storage conditions	
Reacts With:	Oxidizing agents	
Incompatible Conditions:	None	
Hazardous Decomposition Products:	Metal oxide fume, hydrogen bromide gas, indium/indium oxides	
	11. Toxicological Information	
Potential Health Effects:		
Eyes:	Causes serious eye damage	
Skin:	Causes severe skin burns	
Ingestion:	Harmful if swallowed. Swallowing will lead to a strong corrosive effect	
	on mouth and throat and to the danger of perforation of esophagus and	
	stomach.	
Inhalation:	May cause respiratory irritation	
Chronic:	Exposure to indium compounds may cause pain in the joints and bones	
	tooth decay, nervous and gastrointestinal disorders, hearth pain and	
	general debility. Experiments with animals also indicate that indium	
	may cause reduced food and water consumption with weight loss,	
	pulmonary edema, pneumonia, blood, liver and kidney damage, leg	
	paralysis and damage to the brain, heart, adrenals and spleen. Inorganic	
	bromides may produce depression, emaciation and in severe cases,	
	psychosis and metal deterioration. Bromoderma, a bromide rash, often	
	occurs when bromide inhalation or administration is prolonged. This	
	rash is usually found on the face and resembles acne and furunculosis.	
Signs & Symptoms:	N/A	
Aggravated Medical Conditions:	N/A	
Median Lethal Dose:	N/A	
Carcinogen:	IARC: No component of this product present at levels greater than or	
	equal to 0.1% is identified as probable, possible or confirmed human	
	carcinogen by IARC.	
	NTP: No component of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen by	
	NTP.	
	OSHA: No component of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
	12. Ecological Information	
Aquatic Toxicity:	N/A	
Persistent Bioaccumulation Toxicity:	N/A	
Very Persistent, Very Bioaccumulative:	N/A	

Notes:	Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Do not allow material to be released to the environment without proper governmental permits. Avoid transfer into the environment
	13. Disposal Considerations
Dispose of in accordance with local, sta	te, national, and international regulations.
	14. Transportation Data
Hazardous:	Hazardous for transportation.
	CORROSIVE 8
Hazard Class:	8 Corrosive substances
Packing Group:	Ш
UN Number:	UN3260
Proper Shipping Name:	Corrosive solid, acidic, inorganic, n.o.s. (Indium (I) bromide)
	15. Regulatory Information
Sec 302 Extremely Hazardous:	No
Sec 304 Reportable Quantities:	N/A
Sec 313 Toxic Chemicals:	No
	16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

07/18/2018